

INDEX MAPS.

T.1N, R.1E. 2nd Mer.

	5	5-6		5-6		5-6		4-6		4-7		
8	6	31	5	25	4	21	3	17	2	13	1	4
	31		30		25		21		17		13	
9 8	7	30	8	24	9	20	10	16	11	13	12	4
	29		29		24		20		16		12	
9 8	18	29	17	24	16	20	15	16	14	12	13	3
	28		28		23		19		15		11	
9 8	19	28	20	23	21	19	22	15	23	11	24	3
	27		27		23		19		15		11	
9 8	30	27	29	22	28	18	27	14	26	11	25	3
7	26		26		22		18		14		10	
7	31	26	32	21	33	18	34	14	35	10	36	3
	1		1		1	17		1-2		2		2

T. 2N, R.1E. 2nd Mer.

	38	38	38	37-39	37-39	37-39						
40	6	61	5	56	4	52	3	49	2	45	1	37
	61		60		56		52		49		45	
40 41	7	60	8	55	9	52	10	48	11	45	12	36
	60		59		55		51		48		44	
40 41	18	59	17	56	16	51	15	48	14	44	13	36
	59		58		54		51		47		44	
40 41	19	58	20	54	21	51	22	47	23	43	24	36
	58		58		54		50		47		43	
40 41	30	57	29	53	28	50	27	46	26	43	25	35
	57		57		53		50		46		42	
39 42	31	56	32	53	33	49	34	46	35	42	36	35
	33-34		33-34		33-34		33-34		33-35		33-35	

The figures on the lines refer to the page.

1
Township N. 1 North, Range N. 1 East 2^d. Mer. Indiana

South Boundary or Baseline
Oct. 21st. 1805.

Met On N. Side of Sec. 3, T. 1 N. R. 1 E. 2^d. Mer
30.00 a stream 20 lbs. wide Cr. S. E.
40.00 a Beech tree 5 in. diam. of Sec. Cor.
80.00 Set a post Cor. to Sec. 3, 34, 33 & 34.
Rough land, timber Oak, Beech, Hickory &c.

Met On N. Side of Sec. 33, T. 1 N. R. 1 E.
40.00 Set the of. Sec. post, from which
a W. Oak 15 in. diam. bears N 40 E 11 lbs. dist. of
a Do 18 " " " S 60 W 17 " "
80.00 Set a post Cor. to Sec. 32 & 33, from which
a Poplar 24 in. diam. bears N 80 W 19 lbs. dist. of
a Beech 5 " " " S 80 E 10 " "
Thin Soil Oak & Beech, timber

Met On S. Side of Sec. 32, T. 1 N. R. 1 E.
40.00 Set the of. Sec. post, from which
a Beech 18 in. diam. bears N 60 E. 15 lbs. dist. of
a Gum 20 " " " S 60 W 19 " "
80.00 Set a post Cor. to 31 & 32, T. 1 N. R. 1 E. from which
a Gum 15 in. diam. bears N 45 E. 14 lbs. dist. of
Hickory 5 " " " N 50 W 9 " "
Thin Soil Oak timber

Met On S. Side of Sec. 31, T. 1 N. R. 1 E. 2^d. Mer.
40.00 a Beech 10 in. diam. of. Sec. post
a Do 9 " " bears S 15 W 10 lbs. dist.
41.00 a stream 20 lbs. wide Cr. S. 45 W
79.00 to Town Corner on the 2^d. Meridian
Broken land, Oak & Hickory timber
Surveyed by Silas Bent of. D. S.

T1N. R1E. 2^d. Mer Indiana

East From the Corner of Sec. 33 & 34, T1N. R1E.

36.00 a Brook 20 lks. wide Cr. South

40.00 At the q^r. Sec. post, from which
a Beech 24 m. dist. bear S 58 E 11 lks. dist. &
a Do 10 " " " N 69 W 28 " "

63.50 a Beech 20 " "

80.00 At a post Cor. to Sec. 34 & 35, T1N. R1E. from which
a Beech 6 m. dist. bear S 21 E 7 1/2 lks. dist. &
a Sugar 5 " " " N 56 W 15 " "

This mile rich broken land, Beech, Sugar, Poplar &c

East On S. boundary of Sec. 35, T1N. R1E. 2^d. Mer.

7.00 a Brook 20 lks. wide Cr. S. W.

12.00 to Old Indian boundary

40.00 At the q^r. Sec. post, from which
a Beech 20 m. dist. bear S 25 W 19 lks. dist. &
a Do 29 " " " N 2 W 26 " "

80.00 At a post Cor. to Sec. 35 & 36, T1N. R1E. from which
a Dogwood 5 m. dist. bear S 77 W 8 lks. dist. &
a Do 5 " " " N 65 E 15 " "

Heavy timber Oak & Hickory, underg^d. Dogwood

East On S. boundary of Sec. 36, T1N. R1E. 2^d. Mer.

40.00 At q^r. Sec. post. from which
a W. Oak 8 m. dist. bear N 81 W 22 lks. dist. &
a Maple 12 " " " S 60 E 21 " "

80.00 At a post Cor. to Town, 1 N & 1 S. Range 1 & 2 E.
2^d. Meridian, from which

a Hickory 15 m. dist. bear N 41 W 15 lks. dist. &
a N. Oak 8 " " " S 18 E 2 " " Thin
Broken, Hickory & Oak timber, undergrowth
Dogwood, Sassafras, Hickory &c

T. 1 N. R. 1 E., 2nd Mer. Indiana

var. 6° 40'

East Boundary

North On E. boundary of Sec. 36; T. 1 N. R. 1 E.

13.00 a Gum 10 in. dia.

21.80 a W. Oak 30 " "

40.00 At the q. Sec. post, from which
a Dogwood 6 in. dia. bears N 51° W 31 lks. dist. of
a Do 5 " " " S 67° E 21 " "

80.00 At a post Cor. to Sec. 25 & 36, from which
a W. Oak 10 in. dia. bears S 77° W 15 lks. dist. of
a Do 10 " " " N 35° E 11 " "

Land broken, timber Oak & Hickory.

North On E. boundary of Sec. 25, T. 1 N. R. 1 E.

40.00 At the q. Sec. post, from which
an Elm 10 in. dia. bears N 30° W 8 lks. dist. of
an Ironw. 6 " " " S 6° E 23 " "

80.00 At a post Cor. to Sec. 24 & 25, from which
a W. Oak 20 in. dia. bears S 5° E 20 lks. dist. of
an Ironw. 6 " " " N 35° W 22 " "

Land timber &c. same as on the last mile

North On E. boundy. of Sec. 24, T. 1 N. R. 1 E.

40.00 At the q. Sec. post, from which
a Dogwood 5 in. dia. bears N 46° W 17 lks. dist. of
a Poplar 10 " " " S 19° W 28 " "

80.00 At a post Cor. to Sec. 13 & 24, from which
a Poplar 15 in. dia. bears N 2° E 11 lks. dist. of
a Gum 6 " " " A 55° W 12 " "

Middling farming land but broken

North On E. boundary of Sec. 13, T. 1 N. R. 1 E.

40.00 At the q. Sec. post, from which
a Beech 5 in. dia. bears S 73° W 9 1/2 lks. dist. of

S. N. R. 1 E. 2nd Mer. Indiana

80.00 a Sugar tree 5 m. dist. bear N 25 E 23 lks. dist. &
 Set a post Cor. to Sec. 12 & 13. from which
 a Beech 12 m. dist. bear S 52 W 7 lks. dist. &
 a Gum 10 " " " N 52 E 1 1/2 " "
 Land timber &c. Same as on the last mile

North On E. boundry of Sec. 12, T. 1 N. R. 1 E.
 40.00 Set the q. Sec. post, from which
 a Buckeye 10 m. dist. bear N 34 W 17 lks. dist. &
 a Dogwood 4 " " " S 13 E 14 " "
 80.00 Set a post Cor. to Sec. 1 & 12, from which
 a Dogwood 5 m. dist. bear S 11 W 14 lks. dist. &
 a Hickory 10 " " " N 15 E 15 " "
 Land rich, timber Beech, Oak & Poplar,
 underbrush Spice wood

North On E. boundary of Sec. 1, T. 1 N. R. 1 E.
 40.00 Set the q. Sec. post, from which
 a Dogwood 7 m. dist. bear S 45 E 23 lks. dist. &
 a Gum 10 " " " N 30 W 16 " "
 80.00 Set a post Cor. to Towns 1 & 2 N. Range 1 & 2 E
 a Red Bud 5 m. dist. bear N 65 W 19 lks. dist. &
 a Gum 30 " " " S 19 E 21 " "
 Land timber &c. Same as on the last mile

North Boundary
 West 1st mile On Rand. between Towns 1 & 2 N. R. 1 E
 40.00 Set temp. q. Sec. post
 80.00 Set temp. Sec. post. This mile over good
 farming land, timber Oak, Hickory, Sugar, Walnut,
 ash Poplar, brush & Spice wood

West 2nd mile On Rand. between Towns 1 & 2 N. R. 1 E

5

T. N. R. E. 2nd Mer. Indiana

30.50 a Brook 10 hrs. wide C. S. N.

40.00 Set tempf. qf. Sec. post

80.00 Set tempf. Sec. post.

Sand timber &c. Same as on the last mile

West 3rd mile On Random betw. Towns 1 & 2 N. R. E.

40.00 Set qf. Sec. post (tempf.)

80.00 Set tempf. (mile post)

Sand, timber &c. Same as on the last mile

West 4th mile On Rand^m. between Towns 1 & 2 N. R. E.

40.00 Set tempf. qf. Sec. post

80.00 Set tempf. Sec. post

Sand timber &c. Same as on the last mile

West 5th mile On Rand^m. between Towns 1 & 2 S. R. E.

40.00 Set tempf. qf. Sec. post

43.50 a Brook 10 hrs. wide C. S. S.

70.00 a do 10 " " " S.

80.00 Set tempf. (mile post).

Sand timber &c. Same as on the last mile

West 6th mile On Rand^m. betw. Towns 1 & 2 N. R. E.

40.00 Set tempf. qf. Sec. post

68.00 a Brook 10 hrs. wide C. S. S.

79.66 Intersected the N & S. line 114 hrs. N. of the corner

Sand timber &c. Same as on the last mile

East On the S. boundf. of Sec. 31, T. 2 N. R. E.

39.66 Set the qf. Sec. post, from which

a Beech 10 in. dia. bears 186 E 11 hrs. dist. &

a Dogwood 5 " " " N 74 W 10 " "

79.66 Set a post cor. to Sec. 31 & 32, T. 2 N. R. E. from which

T. N. R. 1 E. 2nd Mer. Indiana

a Sugar 10 m. dist. bray S 6 E 5 lks. dist. of
a Sycamore 10 " " " N 10 E 14 " "

East On S. boundary of Sec. 32, T. 2 N. R. 1 E.

40.00 Set the q. Sec. post, from which

a Sugar 10 m. dist. bray N 46 E 3 lks. dist. of

a Do 5 " " " S 46 W 10 " "

80.00 Set a post Cor. to Sec. 32 & 33, T. 2 N. R. 1 E. from which

a Beech 40 m. dist. bray N 55 W 16 lks. dist. of

a Do 10 " " " N 11 E 4 1/2 " "

East On S. boundary of Sec. 33, T. 2 N. R. 1 E.

40.00 Set the q. Sec. post, from which

a Dogwood 6 m. dist. bray N 14 E 15 lks. dist. of

a Sugar 15 " " " S 36 W 12 " "

80.00 Set a post Cor. to Sec. 33 & 34, T. 2 N. R. 1 E. from which

a Dogwood 6 m. dist. bray N 6 W 11 lks. dist. of

a W. Oak 12 " " " N 66 E 13 " "

East On S. boundary of Sec. 34, T. 2 N. R. 1 E.

40.00 Set the q. Sec. post, from which

a Beech 20 m. dist. bray N 33 E 21 lks. dist. of

a W. Oak 10 " " " N 83 E 30 " "

80.00 Set a post Cor. to Sec. 34 & 35, T. 2 N. R. 1 E. from which

a B. Oak 10 m. dist. bray N 25 W 2 lks. dist. of

a Dogwood 6 " " " S 7 E 11 " "

East On S. boundary of Sec. 35, T. 2 N. R. 1 E.

40.00 Set the q. Sec. post, from which

a Beech 20 m. dist. bray S 7 E 7 1/2 lks. dist. of

a Do 15 " " " N 1 E 22 " "

80.00 Set a post Cor. to Sec. 35 & 36, T. 2 N. R. 1 E. from which

a Sugar 20 m. dist. bray N 36 E 2 lks. dist. of

7

T. N. R. 1 E. 2^d. Mer. Indiana

a Hognwood 5 m. dist. from 189 W 2 lks. dist.

East On S. boundary of Sec. 36, T. N. R. 1 E.
 40.00 At the q. Sec. post, from which
 a Bur Oak 24 m. dist. from 169 W 11 lks. dist. &
 a Hognwood 8 " " " N 69 E 15 " "
 80.00 to the Town Corner. September 19th, 1806.

West Boundary on the
 2^d. Principal Meridian in Indian

North On E. boundary of Sec. 36, T. N. R. 1 W
 9.86 a Beech 16 m. dist.
 26.40 a Hickory 24 " "
 38.50 a Beech 12 " "
 40.00 At the q. Sec. post, from which
 a Sugar 12 m. dist. from N 9 E 8 lks. dist. &
 a Beech 12 " " " S 84 W 36 " "
 52.40 a Beech 16 " "
 66.50 a Ho 12 " "
 77.00 to Vincennes trace
 80.00 At a post cor. to Sec. 25 & 36, T. N. R. 1 W. from which
 a Beech 24 m. dist. from S 54 E 32 lks. dist. &
 a Ho 24 " " " N 77 W 59 " "
 This mile rich land, Poplar ridges, Beech, Sugar &c.

North On E. boundary of Sec. 25, T. N. R. 1 W.
 13.60 a W. Walnut 14 m. dist.
 22.50 a Brook 12 lks. wide Cr. S. W.
 27.58 Intersected Indian boundy. line, At post, from which
 a Beech 20 m. dist. from S 40 W 37 lks. dist. &
 a Ho 12 " " " S 59 E 34 " "
 Beech, timber hills, some Sugar, Oak, Spruce &c.
 Soil good Some Stony. September 1st, 1805

T1 N. R1 E. 2^d Mer. Indiana

Surveyed by E. Buckingham Jr. L. S.

North On the Meridian line, from the corner of
Sec. 25 & 36, T1 N. R1 W. On Randm

28.16 the Indian boundary

40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Mile post. This mile over rich
hilly soil, timber Beech & Poplar

North 3rd mile On Randm. between Towns 1 N. Range 1 E & 1 W

32.50 a Brook 10 hrs. wide C. P. W.

40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Mile post. —

Land, timber &c. same as on the last mile

North 4th mile On Randm. on the 2^d Principal Mer.

40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Mile post. This mile over bushy
hilly soil, timber Oak, Hickory &c.

North 5th mile On Randm. on the 2^d Principal Meridian

40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Mile post.

Land timber &c. same as on the last mile

North 6th mile On Randm. on the 2^d Principal Meridian

15.00 a Brook 20 hrs. wide C. P. West

40.00 Set temp^y. q^r. Sec. post

55.00 a Brook 12 hrs. wide C. P. S. W.

80.00 Set temp^y. Town Cor. on the 2^d Principal MeridianLand rich & broken, timber Sugar & Beech brush
Spice wood &c.

T. N. R. 1 E. 2nd, Mer. Indiana

South On E. boundary of Sec. 1, T. N. R. 1 W.

40.00 At the q. Sec. post, from which
an Elm 8 in. dia. bray S 86 W 9 lks. dist. &
a Hickory 5 " " " N 42 E 10 " "

80.00 At a post Cor. to Sec. 1 & 12, T. N. R. 1 W. from which
a W. Ash 24 in. dia. bray N 40 E 14 lks. dist. &
an Elm 7 " " " S 40 W 6 " "

South On E. boundary of Sec. 12, T. N. R. 1 W.

40.00 At the q. Sec. post, from which
a Hackberry 20 in. dia. bray S 20 E 17 lks. dist. &
a Beech 10 " " " N 37 W 5 " "

80.00 At a post Cor. to Sec. 12 & 13, T. N. R. 1 W. from which
a Poplar 5 in. dia. bray S 71 W 2 lks. dist. &
a Cherry tree 7 " " " S 31 E 8 " "

South On E. boundary of Sec. 13, T. N. R. 1 W.

40.00 At the q. Sec. post, from which
a Beech 7 in. dia. bray N 16 W 10 lks. dist. &
a Ho 8 " " " S 39 W 20 " "

80.00 At a post Cor. to Sec. 13 & 24, T. N. R. 1 W. from which
a B. Walnut 20 in. dia. bray S 70 W 14 lks. dist. &
a Sugar tree 15 " " " N 43 E 24 " "

South On E. boundary of Sec. 24, T. N. R. 1 W.

40.00 At the q. Sec. post, from which
a Beech 8 in. dia. bray N 57 W 4 lks. dist. &
a Sugar 3 " " " S 25 E 28 " "

80.00 At a post Cor. to Sec. 24 & 25, T. N. R. 1 W. from which
a Beech 24 in. dia. bray N 17 E 28 lks. dist. &
a Hickory 10 " " " S 54 E 5 " "

South On E. boundary of Sec. 25, T. N. R. 1 W.

T. N. R. 1 E. 2ⁿ. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a W. Oak 6 in. dia. bears N 21 E 20 lks. dist. of
a Poplar 6 " " " S 9 W 13 " "
- 80.00 Continued blazing the true line to the corner on
the old Indian boundary. July 13th. 1806
Surveyed by Arthur Annis, Dep. Sur.

Subdivision. April 6th. 1807

- North Between Secs. 35 & 36, T. N. R. 1 E.
- 35.50 a Small brook Course West.
- 40.00 Set the q. Sec. post, from which
a W. Oak 10 in. dia. bears S 10 E 47 lks. dist. of
a Do 27 " " " N 17 W 10 " "
- 67.50 a small Spring branch which rises about 200 lks. East
of the line Course West.
- 80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which
a Hickory 15 in. dia. bears S 85 E 15 lks. dist. of
a W. Oak 18 " " " N 44 W 40 " "
- Land Broken, timber Oak & Hickory, thick
undergth. poor farming land

East On Random between Secs. 25 & 36, T. N. R. 1 W

- 40.00 Set temp. q. Sec. post
- 80.05 Intersected E. boundary exactly at the post.
Land timber &c. same as on the last mile

West Corrected between Secs. 25 & 36, T. N. R. 1 W

- 40.00 Set q. Sec. post at average distance on true line
for the q. Sec. Cor. from which
a Gum 14 in. dia. bears S 72 E 20 lks. dist. of
a Beech 10 " " " West 40 " "
- 80.05 to Section Corner.

T. N. R. E. 2nd Mer. Indiana

North Between Sec. 25 & 26, T. N. R. 1 E.

18.00 a Creek 20 lks, wide C. S. W.

40.00 Set the q. Sec. post, from which
a Hickory 13 in. dia. bears S 53 E 15 lks. dist. &
a Poplar 7 " " " N 48 W 35 " "

80.00 Set a post Cor. to Sec. 23, 24, 25, 26, from which
a Dogwood 6 in. dia. bears S 68 W 24 lks. dist. &
a Poplar 13 " " " N 38 E 15 " "
Land, timber &c. same as on the last mile

East On Rand. betw. Sec. 24 & 25, T. N. R. 1 E.

40.00 Set temp. q. Sec. post

80.18 Intersected N. & S. line 13 lks. N. of the post
Land, timber &c. same as on the last mile

West Connected between Sec. 24 & 25, T. N. R. 1 E.

40.09 Set q. Sec. post at ar. distance on true line for
q. Section Corner. from which
a White Oak 18 in. dia. bears S 67 W 10 lks. dist. &
a Lym 7 " " " N 45 E 29 " "

80.18 to Sec. Corner

North Between Sec. 23 & 24, T. N. R. 1 E

40.00 Set the q. Sec. post, from which

a W. Oak 18 in. dia. bears S 42 W 6 lks. dist. &
a Dogwood 5 " " " S 75 E 25 " "

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
a W. Oak 14 in. dia. bears S 34 W 14 lks. dist. &
a Do 36 " " " S 88 E 2 " "

This mile rolling land, timber Oak, Hickory, Poplar,
some Sugar — the last 1/2 mile middling farming land

East On Rand. betw. Sec. 13 & 24, T. N. R. 1 E

T. N. R. E. 2^d. Mer. Indiana

40.00 At temp^y. of Sec. post
 80.25 Intersected N & S. line 46 lks. N. of the corner.
 This mile part middling good - and the last
 part very brushy & poor.

West Corrected between Sec^s. 13 & 24, T. N. R. E.
 40.13 At of. Sec. post at asy. dist. on true line, from which
 no bearing trees, in a barren
 80.25 to Section Corner.

North Between Sec^s. 13 & 14, T. N. R. E. 2^d. Mer.
 40.00 At the of. Sec. post, from which
 a Sugar tree 18 in. dia. bears N 78 W 12 lks. dist &
 a B. Walnut 13 " " " N 47 E 33 " "
 80.00 At a post, cor to Sec^s. 11, 12, 13 & 14, from which
 a Sugar 10 in. dia. bears N 9 E 70 lks. dist.
 This mile level, timber Sugar, Poplar, Ash, Walnut
 &c. good 2^d. rate farming land.

East Out Rand^m. between Sec^s. 12 & 13, T. N. R. E.
 3.50 a Brook 10 lks. wide Cr. St.
 40.00 At temp^y. of Sec. post
 80.74 Intersected N & S. line 66 lks. N. of the corner.
 The 1st 1/2 mile middling level farming land - the
 last 1/2 mile hilly & very brushy 3^d. rate Soil

West Corrected between Sec^s. 12 & 13, T. N. R. E.
 40.37 At of. Sec. post at asy. dist. on true line, from which
 a B. Oak 7 in. dia. bears S 87 W 3 lks. dist &
 a W. Oak 12 " " " S 78 E 36 " "
 80.74 to Sec. Corner

April 7th. 1807

T. N. R. 1 E. 2^d. Mer. Indiana

North Between Sec. 11 & 12, T. N. R. 1 E.

26.00 a Brook 15 lks. wide C. P. W.

40.00 At the q. Sec. post, from which
a Sugar 13 in. dia. bran N 83 E 46 lks. dist. &
an Elm 12 " " " S 65 W 1 lks. "

80.00 At a post Cor. to Sec. 1, 2, 11, 12, from which
a Dogwood 8 in. dia. bran S 18 W 31 lks. dist. &
a Sugar 8 " " " N 21 E 18 " "

This (mile) middling level, timber Oak, Sugar,
Poplar, Ash, Beech, Walnut &c. the 1st half mile
1st rate farming land.

East On Random betw. Sec. 1 & 12, T. N. R. 1 E.

40.00 At temp. q. Sec. post

80.39 Intersected N & S line 63 lks. N. of the corner.

This (mile) rather broken, timber Oak, Hickory
Poplar &c. poor farming land.

West On true line between Sec. 1 & 12, T. N. R. 1 E.

40.19 At q. Sec. post at an q. dist. on true line from which
a Beech 13 in. dia. bran S 1 E. 18 lks. dist. &
a Poplar 15 " " " N 39 E 8 " "

80.39 to Section Corner

North Between Sec. 1 & 2, T. N. R. 1 E. 2^d. Mer.

22.60 a Sugar 8 in. dia.

40.00 At the q. Sec. post, from which

a Sugar 13 in. dia. bran S 84 W 12 lks. dist. &
a Beech 14 " " " N 86 E 19 " "

63.97 a W. Oak 18 " "

78.63 Intersected the N. boundary 29 lks. W. of Cor.

At a post Cor. to Sec. 1 & 2, from which

a Beech 8 in. dia. bran S 36 E 34 lks. dist. &

T. N. R. 1 E. 2ⁿ. Mer. Indiana

a Dogwood 5 mi. dist. N 32 W 4 lks. dist.
The 1st 1/2 mile good farming land - the last broken.
Timber Oak, Poplar, Hickory, Sugar &c

Oct. 21st 1805

North Between Sec. 34 & 35 T. N. R. 1 E.

7.50 at Beech 12 mi. dist. on the boundary line
Cor. to Sec. 34 & 35. Bottom land Beech timber
Surveyed (the above post line) by Elias Bent J. D. S.
April 8th 1807

40.00 at the q. Sec. post, from which
a Hickory 10 mi. dist. bears S 34 E 12 lks. dist. &
a do 8 " " " N 12 W 25 " "
80.00 at a post Cor. to Sec. 26, 27, 34 & 35, from which
a B. Oak 18 mi. dist. bears S 56 E. 32 lks. dist. &
a Hickory 14 " " " N 56 W 6 " "
Land rather hilly, timber Oak, Hickory & some
Poplar & Beech; poor farming land.

East On Random between Sec. 26 & 35, T. N. R. 1 E.

27.50 a Spring Course South

31.00 a Creek 25 lks. wide Cr. S. W.

40.00 at temp. q. Sec. post

79.82 Intersected the N & S. line 52 lks. S. of the corner
Land timber &c. Same as on the last mile

West on true line between Sec. 26 & 35, T. N. R. 1 E.

39.91 at q. Sec. post at an y. dist. on true line, from which
a Sugar 30 mi. dist. bears S 7 E 47 lks. dist. &
a Beech 18 " " " N 23 W 44 " "

79.82 to Section Cor.

North Between Sec. 26 & 27, T. N. R. 1 E. 2ⁿ. Mer.

T. N. R. 1 E. 2nd Mer. Indiana

40.00 Let the q. Sec. post, from which
a Sugar 12 mi. dist. bear S 30 E 15 lks. dist. &
a Clo 15 " " " N 40 W 45 " "

60.00 a Small Spring

61.14 a Sugar 5 mi. dist.

80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which
a W. Oak 14 mi. dist. bear S 3 E 4 lks. dist. &
a B. Oak 24 " " " N 43 E 46 " "
Land & Timber Same; Soil of a middling quality

East On Random between Sec. 23 & 26, T. N. R. 1 E.

40.00 Let temp. q. Sec. post

79.83 Intersected N & S. line 21 lks. S. of the corner.
Land timber &c. same as on the last mile

West On true line between Sec. 23 & 26, T. N. R. 1 E.

39.91 Let q. Sec. post at av. 9. dist. on true line, from which
a B. Oak 10 mi. dist. bear S 64 E 27 lks. dist. &
a W. Oak 15 " " " N 59 W 20 " "

79.83 to Sec. Corner.

North Between Sec. 22 & 23, T. N. R. 1 E. 2nd Mer.

40.00 Let the q. Sec. post, from which
a Beech 12 mi. dist. bear N 75 E 26 lks. dist. &
a Clo 11 " " " N 77 W 18 " "

80.00 Let a post Corner to Sec. 14, 15, 22 & 23, from which
a Sugar 19 mi. dist. bear S 57 E 9 lks. dist. &
an Elm 9 " " " N 60 W 12 " "
Land, timber &c. same as on the last mile

East On Random betw. Sec. 14 & 23, T. N. R. 1 E.

40.00 Let temp. q. Sec. post

80.11 Intersected the N & S. line 39 lks. S. of the corner.

T1N R1E. 2^d. Mer. Indiana

Land, timber &c. Same as on the last (mile)

West On true line between Sec. 14 & 23, T1N. R1E.
 40.05 Set of Sec. post at av. dist. on true line, from which
 a Maple 12 in. dia. bears S 3 E 22 lks. dist. of
 an Ash 6 " " " N 35 W 11 " "
 80.11 to Sec. Cor.

North Between Sec. 14 & 15, T1N. R1E.

9.00 a small branch Cr. West
 40.00 Set the of Sec. post, from which
 a W. Ash 9 in. dia. bears S 3 E. 30 lks. dist. of
 a Hickory 10 " " " S 75 W 36 " "
 80.00 Set a post Cor. to Sec. 10, 11, 14, 15, from which
 a P. Oak 10 in. dia. bears S 55 W 28 lks. dist. of
 a Do 8 " " " N 18 E 30 " "
 Land & timber same excepting some part of the
 E. half mile which is middling good farming land.

East On Random between Sec. 11 & 14, T1N. R1E.

40.00 Set temp. of Sec. post
 80.25 intersected the N & S. line 54 lks. S. of the corner.
 Land timber &c. Same as on the last (mile)

West On true line between Sec. 11 & 14, T1N. R1E.

40.10 Set of Sec. post at av. dist. on true line, from which
 a Poplar 20 in. dia. bears S 11 W 30 lks. dist. of
 a P. Walnut 9 " " " N 20 E 37 " "
 80.25 to Sec. Cor.

April 10th. 1807North Between Sec. 10 & 11, T1N. R1E. 2^d. Mer.

40.00 Set the of Sec. post, from which

T. N. R. 1 E. 2nd. Mer. Indiana

a Poplar 10 in. diam. bears S 70 W 21 lks. dist. &
a B. Gum 11 " " " N 53 E 17 " "
80.00 a W. Ash 24 in. diam. Cor. to Sec. 23, 10, 11.
Land broken & hilly, Considerable fallen timber
very brushy 3rd rate, very poor farming land

East On Random between Sec. 2 & 11, T. N. R. 1 E.
40.00 At the temp. of. Sec. post
79.80 Intersected the N. S. line 106 lks. S. of the corner.
The 1st 1/2 mile broken - last (moulding good farm-
ing land, timber Beech, Sugar, Poplar, Oak,
Hickory &c. thick undergrowth.

West On true line between Sec. 2 & 11, T. N. R. 1 E.
39.90 At of. Sec. post at an. dist. on true line, from which
a Poplar 18 in. diam. bears N 7 E 39 lks. dist. &
a C. Oak 14 " " " S 6 E 39 " "
79.80 to Sec. Corner.

North Between Sec. 2 & 3, T. N. R. 1 E. 2nd. Mer.
40.00 At the of. Sec. post, from which
a Beech 12 in. diam. bears S 6 E 33 lks. dist. &
a W. Oak 15 " " " N 8 W 20 " "
79.46 Intersected the N. boundary 46 lks. N. of the post
At a post Cor. to Sec. 2 & 3, from which
a Dogwood 7 in. diam. bears S 57 W 21 lks. dist. &
a B. Gum 6 " " " N 67 E 14 " "
Land Broken, timber, Oak, Hickory & Poplar, very
brushy poor farming land.

April 9th. 1807

North Between Sec. 33 & 34, T. N. R. 1 E.
28.50 to the old boundary line at post, from which

18
T. N. P. E. D. Mer. Indiana

- a Beech 15 m. dist. bears South 14 lks. dist. of
a B. Oak 30 " " " N 70 E 38 " "
Rough land thin Soil Oak timber (the above line)
Surveyed by Silas Bent jr, R. S. Oct. 21. 1805
- 29.54 Intersected the boundary line 68 lks. west of the
Old Cor. (set by Mr. Bent)
- 40.00 At the q. Sec. post, from which
a Sugar 9 m. dist. bears S 5 W 41 lks. dist. of
a Do 7 " " " N 9 E 10 " "
- 80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which
a W. Oak 15 m. dist. bears S 15 W 26 lks. dist. of
a Do 15 " " " N 4 W 49 " "
This mile broken & hilly middling good Soil
timber Oak, Hickory, Sugar, Poplar &c. Consider-
able underg^d. poor farming land.

East On Rand. betw. Sec. 27 & 34, T. N. P. E.
40.00 At temp. q. Sec. post
79.67 Intersected the N & S. line 3 lks. E. of the corner.
Land timber &c. Same as on the last mile

West On true line between Sec. 27 & 34, T. N. P. E.
39.83 At q. Sec. post, at ar. j. dist. on true line from which
a Beech 10 m. dist. bears N 3 E 14 lks. dist. of
a Do 14 " " " S 39 W 37 " "
79.67 to Sec. Cor.

North Between Sec. 27 & 28, T. N. P. E.
40.00 At the q. Sec. post, from which
a W. Oak 12 m. dist. bears S 8 W 44 lks. dist. of
a B. Oak 24 " " " N 52 E 62 " "
80.00 At a post Cor. to Sec. 21, 22, 27 & 28, from which
a W. Oak 12 m. dist. bears S 21 W 28 lks. dist. of

19

T. N. R. I. E. 2nd Mer. Indiana

a Poplar 6 in. diam. bears N 24 W 15 lks. dist.
Land timber &c. same as on the last mile

East On Random between Sec. 22 & 27, T. N. R. I. E.
40.00 Set temp. of Sec. post
79.96 Intersected the st. & s. line 10 lks. N. of the corner.
Land, timber &c. same as on last mile poor far land
the principal part 3rd rate

West On true line between Sec. 22 & 27, T. N. R. I. E.
39.98 Set of Sec. post at av. dist. on true line, from which
a W. Oak 20 in. diam. bears S 64 W 21 lks. dist. &
a Logwood 6 " " " S 71 E 10 " "
79.96 to Sec. Cor.

North Between Sec. 21 & 22, T. N. R. I. E.
40.00 Set W. Oak 20 in. diam. for. of Sec. Cor.
80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Hickory 15 in. diam. bears S 76 W 2 lks. dist. &
a W. Oak 14 " " " S 80 E 27 " "
Land timber &c. same as on the last mile

East On Random betw. Sec. 15 & 22, T. N. R. I. E.
40.00 Set temp. of Sec. post
79.93 Intersected the st. & s. line 27 lks. S. of the corner
Land hilly, Oak, Beech, Sugar, Poplar, Hickory.
the last 1/2 mile, muddling farming land, good
2nd rate Soil

West On true line between, Sec. 15 & 22, T. N. R. I. E.
39.96 Set of Sec. post at av. dist. on true line, from which
a Mulberry 15 in. diam. bears S 13 E 36 lks. dist. &
a Beech 8 " " " N 23 W 22 " "

T. N. R. & E. 2^d. Mer. Indiana

79.93 to Sec. Corner.

North Between Secs. 15 & 16, T. N. R. & E.

3.15 a Brook 10 hrs. wide Cr. S. W.

40.00 at the q. Sec. post, from which

a Beech 27 in. dia. beam N 21 E 15 lbs. dist. &

a Sugar 13 " " " S 28 W 50 " "

80.00 at a post Cor. to Secs. 9, 10, 15, 16, from which

a W. Oak 13 in. dia. beam N 48 E 18 lbs. dist. &

a Do 12 " " " S 21 W 19 " "

This mile rolling land, timber Beech, Angar, Poplar
ash, Oak, Walnut, Hackberry, and g^o. Spice
good farming land.

East On Random betw. Secs. 10 & 15, T. N. R. & E.

40.00 at temp. q. Sec. post

79.35 intersected the N. & S. line 3 1/2 hrs. S. of the Cor.

Land broken & hilly 3rd rate, Considerable fallen
timber very brushy poor farming land

West On true line between Secs. 10 & 15, T. N. R. & E.

39.67 at q. Sec. post at av. dist on true line from which

a B. Gum 13 in. dia. beam N 64 E 42 lbs. dist. &

a Dogwood 7 " " " West 26 " "

79.35 to Sec. Corner.

North Between Secs. 9 & 10, T. N. R. & E.

2.05 a Spring branch 6 hrs. wide Cr. S. W.

40.00 at the q. Sec. post, from which

a W. Oak 8 in. dia. beam N 14 E 5 lbs. dist. &

a Do 8 " " " N 37 W 17 " "

80.00 at a post Cor. to Secs. 3, 4, 9, 10, from which

a B. Oak 7 in. dia. beam N 17 E 39 lbs. dist. &

T. N. R. 1 E. 2^d. Mer. Indiana

a Beech 7 m. dist. branch N 6 W 17 lks. dist. of
 1¹/₂ mile rolling land, timber Beech, Sugar, Poplar
 &c. (muddling good farming land - last brushy broken

East On Random betwⁿ. Sec. 3 & 10, T. N. R. 1 E.

40.00 bet temp^y. of Sec. post

80.09 Intersected N & S. line. at the Sec. Cor.

3^d rate land timber Oak, Hickory very brushy
 Poor farming land.

West On true line between Sec. 3 & 10, T. N. R. 1 E.

40.04 bet of Sec. post at ang^l. dist. on true line, from which
 a W. Oak 13 m. dist. branch S 54 E 29 lks. dist. of
 a do 12 " " " N 41 W 20 " "

80.09 Sec. Cor.

North Between Sec. 3 & 4, T. N. R. 1 E. 2^d. Mer.

10.00 a small Spring branch C. S. W.

40.00 bet the of Sec. post, from which

a W. Oak 12 m. dist. branch S 28 W 16 lks. dist. of

a do 15 " " " N 27 E 7 " "

78.92 Intersected the N. bound^y. 70 lks. N. of the Cor.

bet a post Cor. to Sec. 3 & 4, from which

a W. Oak 15 m. dist. branch S 49 E 23 lks. dist. of

a W. Ash 11 " " " N 55 W 33 " "

Land rolling, timber Oak, Hickory, Poplar,
 Sugar, not good farming land, thin Soil.

Oct. 21st. 1805

North Between Sec. 32 & 33, T. N. R. 1 E.

10.00 a W. Oak 10 m. dist.

40.00 bet the of Sec. post, from which

a Mulberry 15 m. dist. branch East 16 lks. dist. of

N. N. R. E. 2nd Mer. Indiana

a Sugar 10 m. dist. bear S 70° W 22 lks. dist.
 59.90 to the boundary line set a post, from which
 a W. Oak 15 m. dist. bear N 50° W 26 lks. dist.
 a Beech 7 " " " S 70° E 11 " "
 Thin Soil rough land, Oak & Beech timber
 The above fractions was run by Sikes, Rent, jr U.S.

April 11th 1807

40.00 At the q. Sec. post, from which
 a Hickory 9 m. dist. bear S 13° W 21 lks. dist. &
 a do 11 " " " N 8° E 23 " "
 80.00 At a post Cor. to Sec. 28, 29, 32, 33, from which
 a Beech 15 m. dist. bear S 57° W 16 lks. dist.
 a do 18 " " " N 35° E 26 " "
 Land Broken, timber Oak, Beech, Poplar, Sugar
 and about middling farming land

East On Random between Sec. 28 & 33

2.00 a small brook Cr. North
 40.00 At temp. q. Sec. post
 82.90 Intersected the N & S line 105 lks. N. of the cor.
 Land broken & hilly rather stony, timber same
 poor farming land.

West On true line between Sec. 28 & 33. N. N. R. E.

41.45 At q. Sec. post at av. g. dist. on true line, from which
 a Sugar 10 m. dist. bear N 15° W 25 lks. dist. &
 a W. Oak 10 " " " S 12° E 9 " "
 82.90 to Sec. Corner.

North Between Sec. 28 & 29, N. N. R. E. 2nd Mer.

40.00 At the q. Sec. post, from which
 a Beech 15 m. dist. bear S 30° E 11 lks. dist. &
 a do 14 " " " N 62° W 32 " "

T. N. R. 1 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 20, 21, 28, 29, from which
a Beech 12 in. diam. bears S 25 W 5 lbs. dist. of
a Do 36 " " " N 4 E 50 " "
Land rolling, timber Oak, Beech, Poplar, Sugar
&c. Middling good farming land

East On Random between Sec. 21 & 28, T. N. R. 1 E.

40.00 Set temp^y, q. Sec. post

80.94 Intersected the N. S. line at the Sec. Corner
Land broken & hilly, timber same

West On true line between Sec. 21 & 28, T. N. R. 1 E.

40.47 Set q. Sec. post, at av^y. dist. on true line, from which
a W. Oak 14 in. diam. bears S 22 W 11 lbs. dist. of
a Do 40 " " " N 24 E 66 " "

80.94 to Sec. Cor.

North Between Sec. 20 & 21, T. N. R. 1 E.

40.00 Set the q. Sec. post from which
a Sugar 7 in. diam. bears S 19 E 28 lbs. dist. of
a Beech 40 " " " N 15 W 31 " "

80.00 Set a post, Cor. to Sec. 20, 21, 16 & 17, from which
a Beech 36 in. diam. bears North 4 lbs. dist. of
a Sugar 9 " " " S 27 E 17 " "

Land rather broken, with sink holes, rich Soil
timber Beech, Sugar, Poplar, hickory, and gth Spruce
Middling good farming land.

East On Randm. betwⁿ. Sec. 16 & 21, T. N. R. 1 E.

5.00 a Brook 15 lbs. wide Cr. S. N. W.

40.00 Set temp^y, q. Sec. post

79.74 Intersected N. S. line 22 lbs. N. of the corner.
Land rather hilly, timber Beech, Sugar, Poplar,

T. N. R. 1 E. 2nd Mer. Indiana

Oak, middling farming land.

West On true line betwⁿ Sec. 16 & 21, T. N. R. 1 E.
 39.87 At q^r. Sec. post at av^r. dist. on true line, from which
 a Poplar 40 m. dist. bear North 20 l^{ts}. dist. &
 a Beech 12 " " " S 2 W 26 " "
 79.74 to Sec. Corner.

North Between Sec. 16 & 17, T. N. R. 1 E. 2nd Mer.
 14.50 a Brook 20 l^{ts}. wide C. P. S. M.
 40.00 At the q^r. Sec. post, from which
 a W. Oak 18 m. dist. bear S 35 W 9 l^{ts}. dist. &
 a Sugar 10 " " " N 78 E 14 " "
 53.00 a Spring branch 30 l^{ts}. wide C. P. S. M. it has
 water sufficient to turn a mill and appears never
 to be dry.
 80.00 At a post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Oak 17 m. dist. bear N 4 E 35 l^{ts}. dist. &
 a B. Oak 27 " " " N 44 E 15 " "
 This mile 1st rate farming land, timber same

East On Random betwⁿ Sec. 9 & 16, T. N. R. 1 E.
 40.00 At temp^y. q^r. Sec. post
 80.47 Intersected the N & S. 86 l^{ts}. S. of the Corner
 Sand timber &c. same, good farming land

West On true line between Sec. 9 & 16, T. N. R. 1 E.
 40.23 At q^r. Sec. post at av^r. dist. on true line, from which
 a W. Oak 30 m. dist. bear S 57 E 38 l^{ts}. dist. &
 a Sugar 14 " " " N 37 E 33 " "
 80.47 to Sec. Corner

North Between Sec. 8 & 9, T. N. R. 1 E.

S. N. R. E. 2^d. Mer. Indiana

- 33.50 a Spring C. S. N. W.
 35.00 a small brook C. S. W.
 40.00 At the q. Sec. post, from which
 a Cherry 9 m. dist. bears N 61 E 40 lks. dist. of
 a Beech 15 " " " S 47 W 30 " "
 80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Poplar 30 m. dist. bears East 53 lks. dist. of
 a Sassafras 7 " " " N 77 W 9 " "
 Land broken & hilly, Poor farming land, very
 brushy.

- East On Randm. betw. Sec. 4 & 9. S. N. R. E.
 40.00 At temp. q. Sec. post
 80.26 Intersected the N & S. line, 28 lks. N. of the Sec.
 Land broken, middling good soil, timber Beech
 Sugar, Poplar &c. poor farming land

- West On true line betw. Sec. 4 & 9. S. N. R. E.
 40.13 At q. Sec. post at a q. dist. on true line, from which
 a Dogwood 7 m. dist. bears S 31 W 13 lks. dist. of
 a Cherry 11 " " " S 72 E 30 " "
 80.26 to Sec. Corner.

- North Between Sec. 4 & 5, S. N. R. E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a Beech 8 m. dist. bears S 23 E 19 lks. dist. of
 a Do 12 " " " N 55 W 22 " "
 77.00 Intersected N. boundary 30 lks. N. of the Corner
 At a post Cor. to Sec. 4 & 5, from which
 a Beech 30 m. dist. bears N 56 E 16 lks. dist. of
 a Do 12 " " " S 57 W 31 " "
 1st 1/2 mile same, — the last hilly, timber, Beech,
 Sugar, Poplar, Maple, poor farming land.

T. N. R. E. 2nd Mer. Indiana

Oct. 21st 1805.

North Between Sec. 31 & 32, T. N. R. E.

37.00 to a road

38.00 to small run C. P. W.

40.00 Set the q. Sec. post, from which

a W. Oak 15 m. dist. bears S 30° W 33 lks. dist. of

a Llo 18 " " " N 27° E 27 " "

77.50 to boundary line. Set post, from which

a W. Oak 30 m. dist. bears S 80° E 33 lks. dist. of

a Gum 15 " " " N 60° W 26 " "

Thin Soil, Oak, timber, very brushy, Green
brier, under growth.

Surveyed by Silas Bent, jr. R. Sur.

April 10. 1807

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which

a W. Oak 14 m. dist. bears S 77° W 39 lks. dist. of

a Llo 13 " " " N 50° E 43 " "

Sand rather hilly, timber Oak, Hickory, &c.
undergth Dogwood, poor farming land

East On Random betwⁿ Sec. 29 & 32, T. N. R. E.

40.00 Set temp^y q. Sec. post

80.50 Intersected N. & S. 58 lks. N. of the Corner.

Sand timber &c. Same as on the last mile

West On true line between Sec. 29 & 32, T. N. R. E.

40.25 Set q. Sec. post at a q. dist. on true line from which

a B. Gum 9 m. dist. bears S 60° E 17 lks. dist. of

a Dogwood 5 " " " N 75° W 10 " "

80.50 to Sec. Corner.

West Between Sec. 30 & 31, T. N. R. E.

40.00 Set the q. Sec. post, from which

T. 1 N. R. 1 E. 2^d. Mer. Indiana

a Mulberry 17 in. diam. bears N 2 E 38 lbs, dist. of
 a Poplar — " " " N 10 W 30 " "
 76.00 Intersected 2^d. Mer. 387 lbs, N. of the corner
 let a post Cor. to Sec. 1, 30 & 31, from which
 a W. Oak 48 in. diam. bears N 68 E 64 lbs, dist. of
 a Chestnut 20 " " " S 83 W 71 " "
 Sand, timber &c. same

North Between Sec. 1, 29 & 30, T. 1 N. R. 1 E.

40.00 let the q. Sec. post, from which
 a Dogwood 5 in. diam. bears N 45 E 20 lbs, dist. of
 a W. Oak 10 " " " S 37 W 17 " "
 80.00 let a post Cor. to Sec. 1, 19, 20, 29 & 30, from which
 a W. Oak 24 in. diam. bears S 62 W 18 lbs, dist. of
 a Sugar 10 " " " N 47 E 26 " "
 Sand timber &c. same as on the last mile

East On Random between Sec. 1, 20 & 29, T. 1 N. R. 1 E.

40.00 let temp. q. Sec. post
 47.50 a small brook C. S. S. E.
 58.00 a small Spring C. S. N. E.
 80.98 Intersected the N & S line 87 lbs, N. of Sec. Cor
 Sand timber &c. same, Considerable Chestnut timb.

West On true line between Sec. 1, 20 & 29, T. 1 N. R. 1 E.

40.49 let q. Sec. post, from which
 a Poplar 14 in. diam. bears North 16 lbs, dist. of
 a Dogwood 8 " " " S 30 E 30 " "
 80.98 to Sec. Corner.

West Between Sec. 1, 19 & 30, T. 1 N. R. 1 E. 2^d. Mer.

8.38 a small brook C. S. N. W.
 40.00 let the q. Sec. post, from which

T1 N. R1 E. 2nd Mer. Indiana

a Beech 7 m. dist. bears S 76 E 17 lks. dist. &
 a Do 8 " " " West 20 " " "
 76.08 Intersected the 2nd Mer. 405 lks. N. of the corner.
 Set a post Cor. to Secs. 19 & 20, from which
 a Beech 14 m. dist. bears S 57 E 27 lks. dist. &
 a Red. bud 6 " " " N 43 W 5 " "
 Land & timber same, poor farming land.

North Between Secs. 19 & 20, T1 N. R1 E.

40.00 Set the q. Sec. post, from which
 a Red. Oak 18 m. dist. bears S 27 E 35 lks. dist. &
 a Sugar 10 " " " N 3 W 18 " "
 80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which
 a Beech 15 m. dist. bears N 70 E 6 lks. dist. &
 a Do 24 " " " S 71 W 27 " "
 Land, timber &c. same as on the last mile

East On Random between Secs. 17 & 20, T1 N. R1 E.

40.00 Set temp. q. Sec. post
 70.50 Small brook runs N. E.
 80.54 Intersected the N. & S. line 80 lks. N. of the post
 Land rolling, timber Beech, Sugar, Poplar, Mid-
 dling good farming land.

West On true line betw. Secs. 17 & 20, T1 N. R1 E.

40.29 Set q. Sec. post at ar. dist. on true line from which
 a Beech 14 m. dist. bears South 30 lks. dist. &
 a Do 18 " " " N 10 E 31 " "
 80.58 to Sec. Corner. April 10. th 1807

West Between Secs. 18 & 19, T1 N. R1 E. 2nd Mer.

40.00 Set the q. Sec. post, from which
 a Beech 18 m. dist. bears S 67 W 15 lks. dist. &

T. N. R. E. 2nd Mer. Indiana

a Beech 14 in. diam. brans N 68 E 19 lks. dist. &
 78.25 Intersected the 2nd Mer. 491 lks. S. of the Cor.
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 36 in. diam. brans N 69 W 55 lks. dist. &
 a Do 11 " " " N 78 E 31 " "
 Land rolling, timber Beech, Sugar, Poplar,
 Principally mag.^d Spruce, middling good farming land

North Between Sec. 17 & 18, T. N. R. E. 2nd Mer.
 40.00 Set the q. Sec. post, from which
 a Poplar 48 in. diam. brans N 50 W 22 lks. dist. &
 a Beech 27 " " " N 58 E 46 " "
 80.00 Set a post Cor. to Sec. 7, 8, 17, 18, from which
 a Poplar 48 in. diam. brans S 31 E 29 lks. dist. &
 a Sugar 11 " " " N 47 W 59 " "
 Land rolling, timber Same good farming land

East On Randon between Sec. 8 & 17, T. N. R. E.
 40.00 Set temp. q. Sec. post
 58.50 a Creek 60 lks. wide Ct. NW
 61.00 a Do 50 " " " S. W. proceeds from a
 Spring about 5.00 lks. S. E. on this Creek is a
 most excellent Mill Seat.
 80.43 Intersected the N & S. line 30 lks. S. of the corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 8 & 17, T. N. R. E.
 40.21 Set q. Sec. post at w. dist. on true line, from which
 a B. Walnut 6 in. diam. brans S 10 W 33 lks. dist. &
 a Sugar 9 " " " N 2 W 37 " "
 80.43 to Sec. Corner. April 14th 1807

West Between Sec. 7 & 18, T. N. R. E. 2nd Mer.

S. N. R. & C. 2^d. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Sugar 10 m. diam. bears S 16° W 21 lks. dist. of
a Beech 14 " " " N 37° E 15 " "
- 78.72 Intersected the 2^d. Mer. 518 lks. N. of the corner
Set a post Cor. to Sec. 7 & 8, from which
a R. Oak 24 m. diam. bears N 53° W 21 lks. dist. of
a B. Gum 36 " " " S 41° E 47 " "
- Land rolling, timber Beech, Sugar, Poplar, Oak,
Gum, & middling farming land

North Between Sec. 7 & 8, S. N. R. & C. 2^d. Mer.

- 40.00 Set the q. Sec. post, from which
a Beech 10 m. diam. bears N 25° W 16 lks. dist. of
a Do 24 " " " S 38° E 23 " "
- 57.00 a Creek 60 lks. wide O. S. M.
- 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
a Sugar 15 m. diam. bears N 77° E 19 lks. dist. of
a Hickory 15 " " " S 59° W 29 " "
- Land middling level, timber same good farming land

East On Random between Sec. 5 & 8, S. N. R. & C.

- 11.50 a small brook O. S. M.
- 40.00 Set temp. q. Sec. post
- 80.88 Intersected the N. & S. line 32 lks. S. of the post.
Land rolling not much timber very brushy
Middling Soil.

West On true line betw. Sec. 5 & 8, S. N. R. & C.

- 40.44 Set q. Sec. post at an S. dist. on true line, from which
a W. Oak 7 m. diam. bears S 16° W 25 lks. dist. of
a Do 5 " " " N 10° E 22 " "
- 80.88 to Sec. Corner.

T. 1 N. R. 1 E. 2^d. Mer. Indiana

West Between Sec. 6 & 7, T. 1 N. R. 1 E. 2^d. Mer.

16.50 a Creek 80 lks wide C.P. & N.W.

40.00 At the q. Sec. post, from which

a Poplar 10 m. dist. bears S 87 E 7 lks. dist. of

a Beech 8 " " " S 80 W 44 " "

78.20 Intersected the 2^d. Mer. 577 lks. N. of the corner

Set a post Cor. to Sec. 6 & 7, from which

a Beech 13 m. dist. bears N 11 E 18 lks. dist. of

a Do 16 " " " N 20 W 40 " "

This mile good farming land, timber Beech, Sugar,
Poplar, Ash, Walnut &c.

North Between Sec. 5 & 6, T. 1 N. R. 1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which

a W. Oak 24 m. dist. bears S 86 W 15 lks. dist. of

a Do 18 " " " S 5 E 14 " "

68.00 a Brook 15 lks. wide C.P. & W.

75.06 Intersected the N. boundary 161 lks. N. of corner

Set a post Cor. to Sec. 5 & 6. from which

a Sugar 12 m. dist. bears S 18 E 23 lks. dist. of

a Walnut 8 " " " N 24 W 9 " "

Land Broken & hilly, very brushy poor farming
land, timber Beech, Oak & Poplar

N.B. Variation of the Compass 6° 40' E

on the E. & W. lines 7° 10' E.

Surveyed by Arthur Henric, L.S.

I certify that the foregoing transcript of field
notes of Township T. 1 N. Range R. 1 E. 2^d.
Mer. Indiana has been Comp^d. with the orig-
inal notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Dec. 9th 1840

Q. S. Leair
Sur. Genl.